

Print in plain white paper
Cut on red lines, fold on black ones

TESTED AND SUBDIVIDED BY
HYNSON, WESTCOTT & DUNNING, INC.
BALTIMORE, MARYLAND

DIRECTIONS Open package by tearing one end. Outside of packer is not sterile. After controlling hemorrhage, sprinkle powder in wound, covering the depth and injured surfaces lightly, then cover with sterile dressing and bandage.

WARNING: This drug to be used only as directed, using not more than two (2) packets in wounds of one person.

99 - NN

For topical application
5 GRAMS
STERILE CRYSTALLINE
SULFANILAMIDE,
H. W. & D.

Made by Hector Rojas
5thranger@earthlink.net
5thrangers.deadlydozen.net

TESTED AND SUBDIVIDED BY
HYNSON, WESTCOTT & DUNNING, INC.
BALTIMORE, MARYLAND

DIRECTIONS Open package by tearing one end. Outside of packer is not sterile. After controlling hemorrhage, sprinkle powder in wound, covering the depth and injured surfaces lightly, then cover with sterile dressing and bandage.

WARNING: This drug to be used only as directed, using not more than two (2) packets in wounds of one person.

99 - NN

For topical application
5 GRAMS
STERILE CRYSTALLINE
SULFANILAMIDE,
H. W. & D.

When printing, uncheck both
fit to page and shrink to page